


AENOR

EC-Type Examination Certificate Directive on Marine Equipment



B17/000005

In compliance with 2014/90/EU Directive, the notified body AENOR (n° 0099) has issued this certificate to

TABLEROS FOLGADO, S.A.

registered office CL MAYOR, 102 - 46960 ALDAYA (Valencia - España)

Product Surface materials and floor coverings with low flamespread characteristics.
Primary decks covering.
Plywood board.

Directive 2014/90/EU, Commission Implementing Regulation (EU) 2017/306

References Specified in Annex to the Certificate

Production site CL MAYOR, 102 - 46960 ALDAYA (Valencia - España)

Certification scheme In order to issue this EC type-examination certificate, AENOR has performed the appropriate examinations and tests indicated in Module B Annex II of the 2014/90/EU Directive on Marine Equipment

This certificate supersedes B17/000005, dated 2016-07-18

First issued on 2016-04-14
Modified on 2018-01-18
Validity date 2021-04-14

Rafael GARCÍA MEIRO
Chief Executive Officer

AENOR

EC-Type Examination Certificate Directive on Marine Equipment

B17/000005

Annex to Certificate

Regulation SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO	- MED/3.18: Reg. II-2/3, Reg. II-2/5, Reg. II-2/6, Reg. X/3, IMO Res. MSC.36(63)-(1994 HSC Code) 7, IMO Res. MSC.97(73)-(2000 HSC Code) 7, IMO MSC/Circ.1120. -MED/3.1: Reg. II-2/4, Reg. II-2/6, Reg. X/3, IMO Res. MSC.36(63)-(1994 HSC Code) 7, IMO Res. MSC.97(73)-(2000 HSC Code) 7
Test standards	IMO Res. MSC.307(88)- (2010 FTP Code)
Item MED	-MED/3.18. Surface materials and floor covering with low flame spread characteristics, a)decorative veneers, c)floor coverings -MED/3.1 Primary decks covering
Tests carried out	2010 FTP Code. Part 5 Annex 1 and item 2.2 and 2.3 Annex 2
Test reports	2878T 15 (2015-10-19), 3368T 17(2018-01-10)
Substrate applied for the test	Without substrate
Product description	Plywood board

First issued on	2016-04-14
Modified on	2018-01-18
Validity date	2021-04-14

Original Electronic Certificate

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com

Control body accredited by ENAC. Accreditation number: OC-P/125

AENOR

EC-Type Examination Certificate Directive on Marine Equipment

B17/000005

Annex to Certificate

Reference	T.C. IGNÍFUGO OKUME
Minimum/maximum thickness	3 – 30 mm
Specie	Okume
Colour	Light brown
Density	550 - 600 kg/m ³
Organic contents	N/A
Impregnate product	Aqueous solutions of inorganic salts
Impregnation conditions	150 l/m ³
Approval limitations	-Approved for use as low flame spread surface material and floor covering, and for primary decks covering -May be applied over any low flame-spread floor covering, Steel, or non-combustible material.
N° Veneers	3-5-7-9-11-13-15
First issued on	2016-04-14
Modified on	2018-01-18
Validity date	2021-04-14

Original Electronic Certificate

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com

Control body accredited by ENAC. Accreditation number: OC-P/125