



Certificate of constancy of performance



0099/CPR/A65/0035

In compliance with Construction Products Regulation 305/2011/EU of the European Parliament and of the Council, of 9 March 2011, the notified body AENOR (n. 0099) has issued this certificate to

TABLEROS FOLGADO, S.A.

registered office	CL MAYOR, 102 46960 ALDAYA (Valencia - España)
Construction Product	Wood-based panels for use in construction defined by technical class
Harmonised Standard	EN 13986:2004+A1:2015
References	Specified in Annex to the Certificate
Production site	CL MAYOR, 102 46960 ALDAYA (Valencia - España)
Certification scheme	This certificate attests that all provisions under system 1 concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the aforementioned harmonised standard are applied and that the product fulfils all the prescribed requirements set out above.

This certificate will remain valid until its validity date, provided that the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

First issued on	2015-11-11
Last issued on	2022-09-26
Validity date	2023-09-26

Rafael GARCÍA MEIRO
Chief Executive Officer





Certificate of constancy of performance

0099/CPR/A65/0035

Annex to Certificate

Application	Trade Mark	Thickness range (mm)	Facing	Technical class	Reaction to fire class	Formaldehyde class	Content of pentachlorophenol
Internal use as non-structural components in dry conditions	Tablero Contrachapado Ignifugo	4 to 30	Unfaced	EN 636 (Dry conditions, NS)	B-s2, d0	E1	--
Internal use as non-structural components in dry conditions	Tablero Flexible Ignifugo	5 to 16	Unfaced	EN 636 (Dry conditions, NS)	B-s2, d0	E1	--

First issued on 2015-11-11
Last issued on 2022-09-26
Validity date 2023-09-26

